

Windows


○ Step1

The following is a procedure by using Windows11 as an example.




Click the network icon in the bottom right corner of the screen.

Step2



Turn Wi-Fi on. Select Manage Wi-Fi connections.

Step3




Tap appropriate SSID for the Wi2 area. *The image on the left is an example of selecting "Wi2".

Please access the following SSID in Wi2 service area and enter the network key for secured Wi-Fi connection.

"Wi2" , "Wi2_club", "Wi2_free", " wifi_square",
"Wi2premium", "Wi2premium_club", "0000Wi2"

Step4



The screenshot shows a web browser window with the address bar displaying "service.wi2.ne.jp/wi2auth/wi2/pc/en/index.html". The page features the Wi2300 logo at the top left and a language selector set to "日本語" at the top right. Below the logo, there are two tabs: "Wi2User" (selected) and "Roaming". The main content area contains a login form with the following elements:

- Login ID**: A text input field with "@wi2" entered.
- Password**: A text input field.
- Sign up**: An orange button.
- Login**: A blue button.

Below the buttons, there is a note: "Login ID can be an arbitrarily-specified character string or email address." followed by a link: "Forgot password? Click [Here](#) (Wi2 users only).". Below this, it says: "*Accept the Terms of Use, and then Login." and "usage setting of customer information is available on [Wi2 mypage](#)". At the bottom, a red message states: "※This WEB page has been encrypted to ensure data security."

The login screen is displayed.

Enter your login ID and password. *If you are in a roaming service area, add "@wi2" at the end of your ID. (In Wi2 own areas, there is no need to add "@wi2".)