


---

# macOS



## Step1

The following is a procedure by using macOS14 as an example.



Turn Wi-Fi on.

## Step2



Tap appropriate SSID for the Wi2 area. \*The image on the left is an example of selecting "Wi2".

Please access the following SSID in Wi2 service area and enter the network key for secured Wi-Fi connection.

"Wi2" , "Wi2\_club", "Wi2\_free", " wifi\_square",  
"Wi2premium", "Wi2premium\_club", "0000Wi2"

### Step3



The screenshot shows a web browser window titled "Join 'Wi2'" with a language selector set to "日本語". The page features the "Wi2 300" logo and a navigation bar with "Wi2User" and "Roaming" tabs. The "Wi2User" tab is active, displaying a login form with fields for "Login ID" and "Password". The "Login ID" field is highlighted with a red border and contains the text "@wi2". Below the form are "Sign up" and "Login" buttons. A footer banner for "ギガぞう" (Giga-zou) is visible at the bottom.

Join "Wi2"

日本語

Wi2 300

Wi2User Roaming

Login ID Login ID @wi2

Password Password

Sign up Login

Login ID can be an arbitrarily-specified character string or email address.  
Forgot password? Click [Here](#) (Wi2 users only).  
\*Accept the Terms of Use, and then Login.  
usage setting of customer information is available on [Wi2 mypage](#)  
※This WEB page has been encrypted to ensure data security.

速度制限対策アプリ ギガぞう

service.wi2.ne.jp Cancel

The login screen is displayed.

Enter your login ID and password. \*If you are in a roaming service area, add "@wi2" at the end of your ID. (In Wi2 own areas, there is no need to add "@wi2".)